

C S
C S FENCE
COLORBOND FENCE
Gate & Spare Parts

TYPICAL PANEL OVERVIEW

1. Post cap
2. Rail
3. C Post
4. Infill sheet



A 2360mm Wide Panel Consists of:

- 3 × overlapping infill sheets
- 2 × channel posts
- 2 × top/bottom rails
- Tek screws(pack of 15)
- Top cap for channel post(optional)

PANEL WIDTH: 2360mm

PANEL HEIGHTS: 1200mm,1500mm,1800mm,2100mm


STEEL SUBSTRATE: G300-350


COATING: magnesium-aluminum-zinc

Rail for Sheet

2365mm long

- Use as top and bottom rail.Fits into channel post
- Steel rolled with precision creating a continuous cavity
  That ensures pressure is applied both sides of infill panel
  once installed to reduce rattle
- Suit both A and B post
- 0.85mm, 1.0mm BMT
- Rail for Australia market







Channel Post

1800mm, 2400mm or 3000mm high

- A type channel post
- Sharkfin base plates are available
- 0.85mm, 1.0mm BMT








Channel Post

1800mm, 2400mm or 3000mm high

- B type channel post
- Sharkfin base plates are available
- 0.85mm, 1.0mm BMT








TRIMLINE

CLASSIC PROFILE


- B type channel post
- 0.35mm BMT(base metal thickness)
- popular in Australia market





Rail for Sheet

2365mm long

- Use as top and bottom rail.Fits into channel post
- Steel rolled with precision creating a continuous cavity That ensures pressure is applied both sides of infill panel once installed to reduce rattle
- Suit both A and B post
- 0.85mm, 1.0mm BMT









TRIMLINE
CLASSIC PROFILE


- B type channel post
- 0.35mm BMT(base metal thickness)
- popular in Australia market







GO-GREAT WALL
HEAVY DUTY PROFILE

- 0.5mm or 0.8mm BMT
- popular in Canada and USA market where strong wind and snow happends



DIY Gate Kits






Gate Stile


PACKOF2(forleft&rightside)
1520mm(h),1820mm(h)or2120mm(h)

- Made from galvanized steel & powder coated
- Sides stiles: 58mm deep × 35mm wide
- Added feature of 25 × 25mm vertical U channel on both inner stile faces-premium finish for gates. Eliminates Light gaps and hold sinfill panel securely in position
- Sturdy 400mm long horizontal arms sleave neatly into top/bottom rails
- Includes press in black top caps
- To make a single gate, use 1×infill panel. For a double gate,use 2×infill panels




Double gates
also possible

- simply use 2 x infill panels



Customer Case Showcase












DIY SERIES
DIY Colorbond Fence with Your Family

TYPICAL PANEL OVERVIEW

1. Top rail above slat screening infll
2. Screening infll with side framesand aluminium slats
3. Channel post
4. Top & bottom rail
5. Infill sheets
6. Under fence sleeper
7. Tek screws
8. Post cap for channel posts





65mm × 16mm slat

2400mm Long

Pack of 3

- Convenient 3 pack of slat to suit screen topper side frames
- Durable powder coated aluminum
- Slats are 2400mm wide: slats may need width adjustment to suit openings.







Screen topper

SIDE FRAMES(Pair of 2)

- 250mm extension for colorbond steel fencing
- 13mm gap between slats
- Suits EXISTING or NEW fence installations
- Sturdy powder coated aluminium side frames (pair of 2)
- Simply push in 65 × 16mm slat
- Slats are held firmly in position







FRP Sleeper


2365mm wide

200mm high x 47mm wide x2365mm long

Fits internal of colorbond steel C post


Easy width adjustment

EASILY STACKABLE




1 Sleeper

200mm high




2 Sleeper

390mm high



3 Sleeper

590mm high




4 Sleeper


790mm high

Top Lattice

2360×300×0.55mm

- Varies patterns are available
- 0.55mm galvanized steel+powder coated
- Easily to install by screws to Rails
- Folding edges






65×65mm Steel Post

2000mm (h), 2400mm (h) or 2700mm (h)

- 65×65mm galvanized steel post powder coated
- 2.0mm or 2.5mm wall thickness
- FREE top cap included
- Commonly used at the start/end of a fencing run.A one way channel post is affixed to a 65×65mm post to provided extra strength
- A square post also a neat solution at a 90 degree corner for affixing channel posts
- If installing a gate,use a 65mm post either side of gate opening.Posts provide a flat surface for mounting of hinges and latch





Colorbond Fence Warranty

Warranty Terms

1.Limited Warranty

1.1Nanjing Chengsheng Defense Facilities Co.,Ltd. (Chengsheng Fencing ®) to extend the service life of the products, Chengsheng Fencing ® uses magnesium-aluminum-zinc coating as the base material for the colorbond fence, and the surface is coated with PE electrostatic powder coating. Under normal environmental conditions, the service life can reach over 15 years.

1.2 It should be noted that the service life is significantly influenced by the installation environment. In coastal areas (within 50 kilometers from the coastline), regions with intense ultraviolet radiation, and chemical industrial parks (characterized by strong acids, strong alkalis, strong salt fog, and intense ultraviolet rays), the service life of the colorbond fence will be shortened accordingly.

1.3 Chengsheng Fencing ® guarantees to the direct purchaser of Chengsheng Fencing ® Colorbond Fence that, if the customer's installation site is located outside the aforementioned environments characterized by strong acids, strong alkalis, strong salt spray, and intense ultraviolet radiation, Chengsheng Fencing ® can provide a guarantee that:

- If the color shade of the surface fades by more than 20% within one year, it will be replaced free of charge.

- If more than 10% of the surface area of the base material develops rust spots within three years, it will be replaced free of charge.

Note: There are some rust spots on the cut surface and some fading when used outdoors, which are all normal phenomena.

1.4 The surface of the basic steel used by our company has been treated with a magnesium-aluminum-zinc coating. The commonly used coating is 40g/㎡. If higher requirements are needed, custom coatings of 80g/㎡ and 100g/㎡ can be provided, which can significantly enhance the material's corrosion resistance. It is more than five times longer than the same galvanized base material in terms of service life.

Comparison over 5 years




Galvanized sheet (40g/sqm)



Magnesium-aluminum-zinc (40g/sqm)

Comparisonof100g/㎡coatingsaltspraytestresultsshowninbelow



For products used for private purposes, the warranty period is:

Chengsheng Fencing ®	Warranty period-Residencial	Warranty period-Commerciai
PE paint coating	5 years	3 years
HDP paint coating	7 years	5 years
PVDF paint coating	15 years	10 years

2.1 Chengsheng Fencing ® Rdisclaims any responsibility for product issuesresulting from the following causes:

1) - Improper installation or installation not in accordance with Chengsheng Fencing ® installation guide, including but notlimited to incorrect reserved size, misuse of fittings, etc

2) - Use of the product beyond its intended scope or failure to ad here to Chengsheng Fencing ® guidelines and local building regulations

3) - Any uncontrollable factors such as floods, hurricanes, earthquakes, lightning strikes, wars, etc.

4) - Application of surface treatments or other chemical substances, including but not limited to paints, stains, cleaners, coatings, or pesticides.

5) - Slight color deviation, fading, spotting, staining, or other discoloration, deformation, or minor cracks resulting fromnormal weathering, mold, mildew, or other fungal growth, organic materials, or other environmental pollutants andforeign substances.

6) - Defects caused by improper use, storage, or loading and unloading of the product by the purchaser,transporter, or any third party.

7) - Fragmentation and damage caused by man-made or hard objects.

8) - Within the maximum permitted scope of the law, Chengsheng Fencing ® is not required to cover the costs of dismantlingand installing damaged products, nor the handling and transportation costs of replacement products. Under nocircumstances will Chengsheng Fencing ® be liable for any damage (of any nature or description) beyond the actual purchaseprice of the defective product, and compensation wll be paid according to the proportion specified in this warranty.

2.1 Chengsheng Fencing ® does not authorize any individual or entity to provide any warranty service other than what is stipulated in this warranty. When Chengsheng Fencing ® and the purchaser sign this warranty,the terms and conditions are non-negotiable.

3.Legal Terms:

Any disputes arising from this agreement or any other matters related to this agreement shall be resolved by the Nanjing City People's Court.

Regardless of any conflict of laws, the terms of this agreement shall be interpreted in accordance with the laws of the People's Republic of China.


PRIVACY SCREEN

The essentials

① Decorative Privacy Panel

② Fence Topper

③ Pergola Privacy Panel

④ Pool Privacy Panel

⑤ Stair and Railing

⑥ Laser Cut Gate


⑦ Garden Art and Sculpture


⑧ Pattern Liabrary



The Decorative Privacy Panel









The Fence Topper







The Pergola Privacy Panel









The Pergola Privacy Panel







The Stair and Rail







The Laser Cut Gate




The Laser Cut Gate






The Pattern Liabrary




A1



A2



A3




A4




A5




A6



A7




A8




A9




A10




A11




A12




A13



A14




A15



A16




A17




A18

The Pattern Liabrary





A19 A20 A21 A22 A23 A24 A25 A26 A27





A28 A29 A30 A31 A32 A33 A34 A35 A36


The Pattern Liabrary



A37



A38



A39


A40



A41



A42



A43



A44



A45



A46



A47



A48


A49


A50



A51



A52



A53



A54

The Pattern Liabrary


A55


A56


A57


A58



A59


A60


A61


A62


A63


A64


A65



A66


A67


A68


A69


A70


A71


A72


Composite Fence


The First Generation Composite Board












The First Generation Composite Board



The Second Generation Composite Board













The Second Generation Composite Board












The Second Generation Composite Board




Full Privacy Composite Fence












Semi-Privacy Composite Fence












Wall Cladding Composite Fence













Composite Fence With Top Lattice















Composite Fence Accessories

- Type A aluminium post: for 20mm composite board
- Type B aluminium post: for 18mm composite board
- Post strip
- Post cap
- Top and Bottom Rail
- L shape bracket
- Screw
- Post base: steel design and aluminium design
- Reducing Insert for Concrete Post (mainly for UK market)
- LED rail
- Top lattice: metal design and composite design




WPCS creen

Cool room dividers have became more popular because they are a good way to segment a big room andorganise several independent areas,wpc screens offer awesome room dividers which are created specially forimodern and contemporary interiors,Not limited for use as just dividers, wpc screens are good alternative tobe installed as feature and general ceiling, backlit ceiling or wall, deco lattice on windows or glass panels andmirror backed feature wall,also could be used outside decoration.The panels are made of WPC foam board,CNC cut, painted free,We could customize and cater to your project requirements,custom design to different sizes and thickness asd well as using different material such as water-proof, fire-retardant,zero formaldehyde,non-toxic, moth-proof and etc.

Product	WPC screen
Materials	WPC board(PVC resin+wood fiber+Caco3+additives)
Finish	Matt,Smooth(Most common finish)Sanded,lamination,embossed
Dimension	1200×2400mm 1200×600mm 1800×900mm 1800×300mm 1200×300mm Customized
Thickness	5,6,7,8,10,12,15,16,18,20,25,30mm
Density	0.5to0.9g/cm3(common0.65g/cm3)

Product application

Dividers(For Interior&Exterior)






Top lattice for WPC fence






Test for WPC Screen

Test Items	Unit	Standard	Test Items
Bending Strength	Mpa	average: > 20.0 Minimum > 16.0	28.7 26.9
Flexural Modulus	Mpa	> 1800	2063
Dimensional Stability	%	< 1.5	0.2
Nail-holding Ability	N	Board: > 1000	2010
Shore Hardness	HD	> 55	90
Expansion Rateof Water Absorption	%	< 0.5	0.2
Formaldehyde Emission	mg/L	E1: < 1.5	0.1


Blade Fence


3D Blade Fence




Material	Aluminium
Finish	Powder coat (matt finish)
Colour	Ral colour series
Blade size	65×16×1.2mm
Spacing between blades	49mm
Rail	40×40×2mm
Width	2200mm
Heights available	900,1200,1500or 1800mm
Panel weight	900mm(20Kgs) 1200mm(25Kgs) 1500mm(30Kgs) 1800mm(36Kgs)

3D Blade Fence

- Type A:Rails welded onto the back face(narrow side) of 90° blades
- Type B:Rails welded onto the back face(narrow side) of 45° blades
- Type C:Rails welded onto the wide side(batten fence) of 90° blades










Aluminium Batten Fence








Material	Aluminium
Finish	Powder coat (matt finish)
Colour	Ral colour series
Blade size	40×40mm
Spacing between blades	30mm
Rail	40×40×2mm
Width	2200mm
Heights available	900,1200,1500or 1800mm
Panel weight	900mm(19Kgs) 1200mm(24Kgs) 1500mm(29Kgs) 1800mm(34Kgs)


Aluminium Batten Fence

- Versatile and timeless 40mm batten design.
- Tightly spaced for privacy and security
- Easily cut to desired width for smaller sections.
- Resistant to weather, rust and rot.










3D Blade Fence

- Type A:No visible rails when height under 1500mm
- Type B:Rail needed when height over 1500mm



90°blade　　45°blad





